## **30-POINT INSPECTION**

| Building: _   | Cleaner:  |        |           | Date:  |             |  |
|---|---|--------|-----------|--------|-------------|--|
| 0=Poo   | r 1=Mediocre  | 2=Fair | 3=Average | 4=Good | 5=Excellent |  |
| <ul> <li>1) Surfaces (window ledges, partitions, file cabinets) clean</li> <li>2) High corners, foyers free of spider webs</li> </ul> |   |        |           |        |             |  |
| 3) Entryway glass clean, free of fingerprints   |   |        |           |        |             |  |
| 4) Interior glass clean, free of finger prints  |   |        |           |        |             |  |
| 5) Counters, work tables & conference tables clean  |   |        |           |        |             |  |
| 6) Furniture free of debris & dust  |   |        |           |        |             |  |
| 7) Drinking fountains cleaned & polished  |   |        |           |        |             |  |
| 8) Break room counters, tables & chairs cleaned   |   |        |           |        |             |  |
| 9) Break room sink and fixtures cleaned & polished  |   |        |           |        |             |  |
| 10) Outside of refrigerators cleaned (around door handle especially)  |   |        |           |        |             |  |
| 11) Coff  | 11) Coffee pots rinsed  |        |           |        |             |  |
|   | 12) Microwaves cleaned inside and out   |        |           |        |             |  |
|   | 13) Fronts of vending machines cleaned (glass fronts especially)  |        |           |        |             |  |
| ,   | 14) Break room paper & soap supplies stocked  |        |           |        |             |  |
|   | 15) Break room cabinets, walls spot cleaned near towel dispensers sinks   |        |           |        |             |  |
| 16) Res   | <ul> <li>16) Restroom sinks, mirrors cleaned &amp; polished</li> <li>17) Toilets, urinals cleaned &amp; polished (under rims &amp; seats, bases)</li> </ul> |        |           |        |             |  |
| 18) Pos   | 18) Restroom partitions and walls spot cleaned (around urinals)   |        |           |        |             |  |
| 10) Nes   | 19) Tops of restroom partitions free of dust  |        |           |        |             |  |
| 20) Res   | 20) Restroom paper & soap supplies stocked  |        |           |        |             |  |
|   | 21) Push & kick plates cleaned & polished   |        |           |        |             |  |
|   | 22) Vents, light fixtures free of dust  |        |           |        |             |  |
| ,   | 23) All waste baskets emptied   |        |           |        |             |  |
| 24) Was   | 24) Waste basket liners replaced as needed  |        |           |        |             |  |
| 25) Carp  | 25) Carpets and mats vacuumed thoroughly  |        |           |        |             |  |
|   | 26) Hard floors swept & damp mopped thoroughly  |        |           |        |             |  |
| 27) Floo  | 27) Floor corners, door jams free of debris & spider webs   |        |           |        |             |  |
| 28) Sup   | 28) Supply room neat & organized  |        |           |        |             |  |
| 29) Corr  | 29) Complete MSDS folder posted & all chemicals properly labeled  |        |           |        |             |  |
| 30) Equ   | 30) Equipment in safe condition, no frayed electrical cords   |        |           |        |             |  |
|   |   |        |           |        |             |  |

Manager Signature

Cleaner Signature